




WC complete with seat with soft-closing mechanism
 ACER0897WR_

Patricia Urquiola, 2010


Wall mounted sanitary ware with round and streamlined shape.



Finiture

-  Matt white
-  White/dark grey
-  Glossy white
-  Green
-  Dark grey

Materiali

-  Ceramic


Wall mounted wc without flush rim with wall drain. Made of white or two-tone ceramic (RAL7021 grey exterior) or colored, both internally and externally, in dark grey or opaque green. The white version is also available with matt exterior and matt seat. Suitable for jet flush action and flushometer valve, suitable for wall recessed or external cistern; complete with seat in resin with soft-closing mechanism, with fixing kit.

Altezza:	25.5 cm	10" inches
Larghezza:	38 cm	15" inches
Peso:	20 kg	44 lbs
Profondità :	52.8 cm	20" 3/4 inches
Confezione:	47 x 68 x 42 cm	18"4/8 x 26"6/8 x 16"4/8 inches
Peso della confezione:	23 kg	51 lbs

Note: To be used with Geberit built-in cisterns: Combifix and Duofix mod. Sigma 8 and Sigma 12. A recessed metal support AMET0315 or another compatible system is mandatory.




Main dimensions






Installation notes





Installation notes




*h.consigliata / advised h.



Bidet
 ACER0897B_

Patricia Urquiola, 2010


Wall mounted bidet with round and streamlined shape.



Finiture

-  Matt white
-  White/dark grey
-  Glossy white
-  Green
-  Dark grey

Materiali

-  Ceramic


Wall mounted ceramic bidet available in white or two-coloured (grey external surface RAL7021), with one tap hole; with overflow hole complete with polished stainless-steel overflow collar and fixing kit. The white version is also available with matt exterior. Designed for waste .MET0346P or .MET0562.

Altezza:	25.5 cm	10" inches
Larghezza:	38 cm	15" inches
Peso:	20 kg	44 lbs
Profondit� :	52.8 cm	20" 3/4 inches
Capacita':	7.5 l	2 gal
Confezione:	47 x 68 x 42 cm	18" 4/8 x 26" 6/8 x 16" 4/8 inches
Peso della confezione:	23 kg	51 lbs

Note: A recessed metal support AMET0315 or another compatible system is mandatory.





Main dimensions





Installation notes



***h.consigliata / advised h.**