STANDARD HYDRAULIC VERSION
(Connectors 0B1)



CONNECTORS The heated towel rails are supplied as standard with connectors “0B1”

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors
Provided upon request WITH an additional charge of



Connectors on request
Available upon request AT NO additional charge.



Single pipe



STANDARD HYDRAULIC VERSION
(Connectors B2R)



Custom-made connectors
Available upon request WITH an additional charge of



Specify “i” and “d”
i min = 5cm d min = 2cm

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 314

Code	Description	Finishes	
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White	
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	

Product code **BA25#1200500B1ST9010**

BA25#120050	Article code specified in the price table
0B1	Connector code see technical datasheet
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

See the official TUBES colour chart
Additional charges calculated on category C0

RAL not in the colour chart	+30%*
As per sample	Subject to quote**

* Request the feasibility for these categories



BA25#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C
BA25#070040	70,5	40,0	36,6	352	189
BA25#070050	70,5	50,0	46,6	441	238
BA25#070060	70,5	60,0	56,6	529	287
BA25#120040	119,5	40,0	36,6	536	284
BA25#120050	119,5	50,0	46,6	670	357
BA25#120060	119,5	60,0	56,6	803	431
BA25#150040	144,5	40,0	36,6	614	328
BA25#150050	144,5	50,0	46,6	768	412
BA25#150060	144,5	60,0	56,6	922	497
BA25#190040	193,5	40,0	36,6	792	423
BA25#190050	193,5	50,0	46,6	990	530
BA25#190060	193,5	60,0	56,6	1188	636

BA25#... hydraulic with rear connectors B2R

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C
BA25#070040B2R	70,5	40,0	36,6	352	189
BA25#070050B2R	70,5	50,0	46,6	441	238
BA25#070060B2R	70,5	60,0	56,6	529	287
BA25#120040B2R	119,5	40,0	36,6	536	284
BA25#120050B2R	119,5	50,0	46,6	670	357
BA25#120060B2R	119,5	60,0	56,6	803	431
BA25#150040B2R	144,5	40,0	36,6	614	328
BA25#150050B2R	144,5	50,0	46,6	768	412
BA25#150060B2R	144,5	60,0	56,6	922	497
BA25#190040B2R	193,5	40,0	36,6	792	423
BA25#190050B2R	193,5	50,0	46,6	990	530
BA25#190060B2R	193,5	60,0	56,6	1188	636

Remote valve assembly – GVR

For more information on the choice of valves, see p. 314

Code	Description	Finishes	
GVR#...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed Plated	
GVRTG#...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*		
GVRC#...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured Coloured	
GVRTC#...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*		

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 324)

SIZES AVAILABLE TO ORDER:
All the sizes in WIDTH every 10 cm starting from 70 cm up to 100 cm can be PROVIDED ON DEMAND and the price is calculated upon request.

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.

BATH 25 DOUBLE - BA25D HYDRAULIC

Hydraulic heated towel rail made of carbon steel

EN 442 HW

STANDARD HYDRAULIC VERSION
(Connectors 0B1)



CONNECTORS The heated towel rails are supplied as standard with connectors “0B1”

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors
Provided upon request WITH an additional charge of



Connectors on request
Available upon request AT NO additional charge.



Single pipe

Custom-made connectors
Available upon request WITH an additional charge of



Specify “i” and “d”
i min = 5cm d min = 2cm

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 314

Code	Description	Finishes	
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White	
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	

Product code **BA25D#1200500B1ST9010**

BA25D#120050	Article code specified in the price table
0B1	Connector code see technical datasheet
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

See the official TUBES colour chart
Additional charges calculated on category C0

RAL not in the colour chart	+30%*
As per sample	Subject to quote**

* Request the feasibility for these categories



BA25D#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C
BA25D#070040	70,5	40,0	36,6	552	286
BA25D#070050	70,5	50,0	46,6	690	357
BA25D#070060	70,5	60,0	56,6	828	429
BA25D#120040	119,5	40,0	36,6	832	431
BA25D#120050	119,5	50,0	46,6	1039	538
BA25D#120060	119,5	60,0	56,6	1247	646
BA25D#150040	144,5	40,0	36,6	962	498
BA25D#150050	144,5	50,0	46,6	1203	623
BA25D#150060	144,5	60,0	56,6	1443	747
BA25D#190040	193,5	40,0	36,6	1205	624
BA25D#190050	193,5	50,0	46,6	1507	781
BA25D#190060	193,5	60,0	56,6	1809	937

SIZES AVAILABLE TO ORDER:
All the sizes in WIDTH every 10 cm starting from 70 cm up to 100 cm can be PROVIDED ON DEMAND and the price is calculated upon request.

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.

STANDARD HYDRAULIC VERSION
(Connectors 0i5)



Standard convertible valves – Z1TLNR
For more information on the choice of valves, see p. 314

Code	Description	Finishes	
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White	
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	

Product code **BA25I5#1200500I5ST9010**

BA25I5#120050	Article code specified in the price table
0I5	Connector code see technical datasheet
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

See the official TUBES colour chart
Additional charges calculated on category C0

RAL not in the colour chart	+30%*
As per sample	Subject to quote**

* Request the feasibility for these categories



BA25I5#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C
BA25I5#070040	74,5	40,0	5,0	352	189
BA25I5#070050	74,5	50,0	5,0	441	238
BA25I5#070060	74,5	60,0	5,0	529	287
BA25I5#120040	123,5	40,0	5,0	536	284
BA25I5#120050	123,5	50,0	5,0	670	357
BA25I5#120060	123,5	60,0	5,0	803	431
BA25I5#150040	148,5	40,0	5,0	614	328
BA25I5#150050	148,5	50,0	5,0	768	412
BA25I5#150060	148,5	60,0	5,0	922	497
BA25I5#190040	197,5	40,0	5,0	792	423
BA25I5#190050	197,5	50,0	5,0	990	530
BA25I5#190060	197,5	60,0	5,0	1188	636

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.

STANDARD HYDRAULIC VERSION
(Connectors 0i5)



Standard convertible valves – Z1TLNR
For more information on the choice of valves, see p. 314

Code	Description	Finishes	
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White	
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	

Product code **BA25DI5#1200500I5ST9010**

BA25DI5#120050	Article code specified in the price table
0I5	Connector code see technical datasheet
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

See the official TUBES colour chart
Additional charges calculated on category C0

RAL not in the colour chart	+30%*
As per sample	Subject to quote**

* Request the feasibility for these categories



BA25DI5#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C
BA25DI5#070040	74,5	40,0	5,0	552	286
BA25DI5#070050	74,5	50,0	5,0	690	357
BA25DI5#070060	74,5	60,0	5,0	828	429
BA25DI5#120040	123,5	40,0	5,0	832	431
BA25DI5#120050	123,5	50,0	5,0	1039	538
BA25DI5#120060	123,5	60,0	5,0	1247	646
BA25DI5#150040	148,5	40,0	5,0	962	498
BA25DI5#150050	148,5	50,0	5,0	1203	623
BA25DI5#150060	148,5	60,0	5,0	1443	747
BA25DI5#190040	197,5	40,0	5,0	1205	624
BA25DI5#190050	197,5	50,0	5,0	1507	781
BA25DI5#190060	197,5	60,0	5,0	1809	937

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.

BATH 25 MIXED STANDARD -B2R- BA25MS (HYDRAULIC/ELECTRIC)

Mixed (hydraulic/electric) heated towel rail radiator made of carbon steel

EN 442 +EURONORM MX



MIXED VERSION B2R WITH STANDARD EDGE CAP* and Remote GVR connection

(Available only for Extra_CEE market and/or connected to a domotic system with features compliant with the ECODesign standard)



Connection to the electricity mains with Standard Edge Cap

Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)



STANDARD MIXED VERSION - B2R - WITH ECODesign THERMOSTAT

Connection via GVR Remote Valve Assembly



Connection to the electricity mains

ECODesign Room Thermostat





MIXED VERSION B2R WITH WIRELESS ECODesign CONTROLS

Connection via GVR Remote Valve Assembly



Wireless connection with Standard Edge Cap



Digital Chronothermostat (code ZRF007)

Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)



ECODesign digital wireless chronothermostat + Receiver

STANDARD B2R MIXED VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Version for connection with rear connectors to GVR	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Interaxis (cm)	COLOURED version Watt DT50°C	COLOURED version Watt DT30°C	Electrical Resistance (Watts)
	White	Anthracite Grey	Chrome							
BA25MSX#070040	U1	V1	Z1	T6	70,5	40,0	36,6	352	189	300 W
BA25MSX#070050	U1	V1	Z1	T6	70,5	50,0	46,6	441	238	300 W
BA25MSX#070060	U2	V2	Z2	T8	70,5	60,0	56,6	529	287	600 W
BA25MSX#120040	U2	V2	Z2	T8	119,5	40,0	36,6	536	284	600 W
BA25MSX#120050	U2	V2	Z2	T8	119,5	50,0	46,6	670	357	600 W
BA25MSX#120060	U3	V3	Z3	T9	119,5	60,0	56,6	803	431	900 W
BA25MSX#150040	U2	V2	Z2	T8	144,5	40,0	36,6	614	328	600 W
BA25MSX#150050	U3	V3	Z3	T9	144,5	50,0	46,6	768	412	900 W
BA25MSX#150060	U3	V3	Z3	T9	144,5	60,0	56,6	922	497	900 W
BA25MSX#190040	U3	V3	Z3	T9	193,5	40,0	36,6	792	423	900 W
BA25MSX#190050	U3	V3	Z3	T9	193,5	50,0	46,6	990	530	900 W
BA25MSX#190060	U4	V4	Z4	T0	193,5	60,0	56,6	1188	636	1200 W

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of

STANDARD B2R MIXED VERSION WITH ECODesign THERMOSTAT

Version for connection with rear connectors to GVR	Thermostat code ROOM*			Thermostat code RADIATOR**		H (cm)	L (cm)	Interaxis (cm)	COLOURED version Watt DT50°C	COLOURED version Watt DT30°C	Electrical Resistance (Watts)
	White	Chrome	Matt Black	White	Chrome						
BA25MST#070040	F5	F7	JO	N1	N5	70,5	40,0	36,6	352	189	300 W
BA25MST#070050	F5	F7	JO	N1	N5	70,5	50,0	46,6	441	238	300 W
BA25MST#070060	G5	G7	JQ	N2	N6	70,5	60,0	56,6	529	287	600 W
BA25MST#120040	G5	G7	JQ	N2	N6	119,5	40,0	36,6	536	284	600 W
BA25MST#120050	G5	G7	JQ	N2	N6	119,5	50,0	46,6	670	357	600 W
BA25MST#120060	H5	H7	JR	N3	N7	119,5	60,0	56,6	803	431	900 W
BA25MST#150040	G5	G7	JQ	N2	N6	144,5	40,0	36,6	614	328	600 W
BA25MST#150050	H5	H7	JR	N3	N7	144,5	50,0	46,6	768	412	900 W
BA25MST#150060	H5	H7	JR	N3	N7	144,5	60,0	56,6	922	497	900 W
BA25MST#190040	H5	H7	JR	N3	N7	193,5	40,0	36,6	792	423	900 W
BA25MST#190050	H5	H7	JR	N3	N7	193,5	50,0	46,6	990	530	900 W
BA25MST#190060	I5	I7	JS	N4	N8	193,5	60,0	56,6	1188	636	1200 W

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of .

STANDARD B2R MIXED VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Version for connection with rear connectors to GVR	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Interaxis (cm)	COLOURED version Watt DT50°C	COLOURED version Watt DT30°C	Electrical Resistance (Watts)
	White	Anthracite Grey	Chrome							
BA25MSW#070040	U1	V1	Z1	T6	70,5	40,0	36,6	352	189	300 W
BA25MSW#070050	U1	V1	Z1	T6	70,5	50,0	46,6	441	238	300 W
BA25MSW#070060	U2	V2	Z2	T8	70,5	60,0	56,6	529	287	600 W
BA25MSW#120040	U2	V2	Z2	T8	119,5	40,0	36,6	536	284	600 W
BA25MSW#120050	U2	V2	Z2	T8	119,5	50,0	46,6	670	357	600 W
BA25MSW#120060	U3	V3	Z3	T9	119,5	60,0	56,6	803	431	900 W
BA25MSW#150040	U2	V2	Z2	T8	144,5	40,0	36,6	614	328	600 W
BA25MSW#150050	U3	V3	Z3	T9	144,5	50,0	46,6	768	412	900 W
BA25MSW#150060	U3	V3	Z3	T9	144,5	60,0	56,6	922	497	900 W
BA25MSW#190040	U3	V3	Z3	T9	193,5	40,0	36,6	792	423	900 W
BA25MSW#190050	U3	V3	Z3	T9	193,5	50,0	46,6	990	530	900 W
BA25MSW#190060	U4	V4	Z4	T0	193,5	60,0	56,6	1188	636	1200 W

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of

Remote valve assembly – GVR

For more information on the choice of valves, see p. 314

Code	Description	Finishes	
GVR#...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed Plated	
GVRTG#...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*		
GVRC#...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured Coloured	
GVRTC#...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*		

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 324)

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.

BATH 25 MIXED TRADITIONAL - BA25M (HYDRAULIC/ELECTRIC)

Mixed (hydraulic/electric) heated towel rail radiator made of carbon steel

EN 442 +EURONORM MX

TRADITIONAL MIXED VERSION WITH EDGE CAP

(Available only for Extra_CEE market and/or connected to a domotic system with features compliant with the ECODesign standard)



Connection to the electricity mains with Standard Edge Cap

Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)



Connection with traditional Valves

TRADITIONAL MIXED VERSION WITH ECODesign THERMOSTAT

Connection with traditional Valves





Connection via traditional Valves

ECODesign Room Thermostat



TRADITIONAL MIXED VERSION WITH WIRELESS ECODesign CONTROLS

Connection with traditional Valves



Wireless connection with Standard Edge Cap



Digital Chronothermostat (code ZRF007)

Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)





ECODesign digital wireless chronothermostat + Receiver

TRADITIONAL MIXED VERSION WITH EDGE CAP (connectable version via kit and traditional valves)

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Version for connection with traditional connectors	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Interaxis (cm)	COLOURED version Watt DT50°C	COLOURED version Watt DT30°C	Electrical Resistance (Watts)
	White	Anthracite Grey	Chrome							
BA25MX#070040	KU1	KV1	KZ1	KT6	70,5	40,0	29,4	352	189	300 W
BA25MX#070050	KU1	KV1	KZ1	KT6	70,5	50,0	39,4	441	238	300 W
BA25MX#070060	KU2	KV2	KZ2	KT8	70,5	60,0	49,4	529	287	600 W
BA25MX#120040	KU2	KV2	KZ2	KT8	119,5	40,0	29,4	536	284	600 W
BA25MX#120050	KU2	KV2	KZ2	KT8	119,5	50,0	39,4	670	357	600 W
BA25MX#120060	KU3	KV3	KZ3	KT9	119,5	60,0	49,4	803	431	900 W
BA25MX#150040	KU2	KV2	KZ2	KT8	144,5	40,0	29,4	614	328	600 W
BA25MX#150050	KU3	KV3	KZ3	KT9	144,5	50,0	39,4	768	412	900 W
BA25MX#150060	KU3	KV3	KZ3	KT9	144,5	60,0	49,4	922	497	900 W
BA25MX#190040	KU3	KV3	KZ3	KT9	193,5	40,0	29,4	792	423	900 W
BA25MX#190050	KU3	KV3	KZ3	KT9	193,5	50,0	39,4	990	530	900 W
BA25MX#190060	KU4	KV4	KZ4	KT0	193,5	60,0	49,4	1188	636	1200 W

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of

TRADITIONAL MIXED VERSION WITH ECODesign THERMOSTAT (connectable version via kit and traditional valves)

Version for connection with traditional connectors	Thermostat code ROOM*			H (cm)	L (cm)	Interaxis (cm)	COLOURED version Watt DT50°C	COLOURED version Watt DT30°C	Electrical Resistance (Watts)
	White	Chrome	Matt Black						
BA25MT#070040	KF5	KF7	KJO	70,5	40,0	29,4	352	189	300 W
BA25MT#070050	KF5	KF7	KJO	70,5	50,0	39,4	441	238	300 W
BA25MT#070060	KG5	KG7	KJQ	70,5	60,0	49,4	529	287	600 W
BA25MT#120040	KG5	KG7	KJQ	119,5	40,0	29,4	536	284	600 W
BA25MT#120050	KG5	KG7	KJQ	119,5	50,0	39,4	670	357	600 W
BA25MT#120060	KH5	KH7	KJR	119,5	60,0	49,4	803	431	900 W
BA25MT#150040	KG5	KG7	KJQ	144,5	40,0	29,4	614	328	600 W
BA25MT#150050	KH5	KH7	KJR	144,5	50,0	39,4	768	412	900 W
BA25MT#150060	KH5	KH7	KJR	144,5	60,0	49,4	922	497	900 W
BA25MT#190040	KH5	KH7	KJR	193,5	40,0	29,4	792	423	900 W
BA25MT#190050	KH5	KH7	KJR	193,5	50,0	39,4	990	530	900 W
BA25MT#190060	KI5	KI7	KJS	193,5	60,0	49,4	1188	636	1200 W

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of .

TRADITIONAL MIXED VERSION WITH WIRELESS ECODesign CONTROLS (connectable version via kit and traditional valves)

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Version for connection with traditional connectors	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Interaxis (cm)	COLOURED version Watt DT50°C	COLOURED version Watt DT30°C	Electrical Resistance (Watts)
	White	Anthracite Grey	Chrome							
BA25MW#070040	KU1	KV1	KZ1	KT6	70,5	40,0	29,4	352	189	300 W
BA25MW#070050	KU1	KV1	KZ1	KT6	70,5	50,0	39,4	441	238	300 W
BA25MW#070060	KU2	KV2	KZ2	KT8	70,5	60,0	49,4	529	287	600 W
BA25MW#120040	KU2	KV2	KZ2	KT8	119,5	40,0	29,4	536	284	600 W
BA25MW#120050	KU2	KV2	KZ2	KT8	119,5	50,0	39,4	670	357	600 W
BA25MW#120060	KU3	KV3	KZ3	KT9	119,5	60,0	49,4	803	431	900 W
BA25MW#150040	KU2	KV2	KZ2	KT8	144,5	40,0	29,4	614	328	600 W
BA25MW#150050	KU3	KV3	KZ3	KT9	144,5	50,0	39,4	768	412	900 W
BA25MW#150060	KU3	KV3	KZ3	KT9	144,5	60,0	49,4	922	497	900 W
BA25MW#190040	KU3	KV3	KZ3	KT9	193,5	40,0	29,4	792	423	900 W
BA25MW#190050	KU3	KV3	KZ3	KT9	193,5	50,0	39,4	990	530	900 W
BA25MW#190060	KU4	KV4	KZ4	KT0	193,5	60,0	49,4	1188	636	1200 W

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 314

Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White	
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Glossy Chrome	
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	

BATH 25 GALVANIC - BA25G (CHROME-PLATED) HYDRAULIC

Hydraulic heated towel rail made of carbon steel

EN 442 HW



STANDARD HYDRAULIC VERSION
(Connectors 0B1)



CONNECTORS The heated towel rails are supplied as standard with connectors “0B1”

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors
Provided upon request WITH an additional charge of



Connectors on request
Available upon request AT NO additional charge.



Single pipe

Custom-made connectors
Available upon request WITH an additional charge of



Specify “i” and “d”
i min = 5cm d min = 2cm

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 314



Code	Description	Finishes	
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	
ZRCF3G#CRO	Hole-covering washer kit for Heated towel rail	Glossy Chrome	

Product code **BA25G#1200500B1STCRO**

BA25G#120050	Article code specified in the price table
0B1	Connector code see technical datasheet
ST	Standard support code
CRO	Colour/finish code specified in the Official TUBES COLOUR CHART



ADDITIONAL CHARGES FOR FINISHES

See the official TUBES colour chart
Additional charges calculated on category G0

RAL not in the chart	+30%*
As per sample	Subject to quote**

* Request the feasibility for these categories

IN STOCK

available in stock with 0B1 connections, in the Polished Chrome finish.Maximum quantity for item: 5 pcs

BA25G#... hydraulic

Model	**H** (cm)	**L** (cm)	Interaxis (cm)	Heat output in Watts CHROMED version ΔT. 50°C	ΔT. 30°C
BA25G#070040	75,8	40,0	36,6	239	127
BA25G#070050	75,8	50,0	46,6	299	158
BA25G#070060	75,8	60,0	56,6	359	189
BA25G#120040	120,3	40,0	36,6	355	180
BA25G#120050	120,3	50,0	46,6	444	227
BA25G#120060	120,3	60,0	56,6	533	274
BA25G#150040	148,2	40,0	36,6	440	237
BA25G#150050	148,2	50,0	46,6	550	299
BA25G#150060	148,2	60,0	56,6	660	362
BA25G#190040	188,0	40,0	36,6	551	298
BA25G#190050	188,0	50,0	46,6	689	373
BA25G#190060	188,0	60,0	56,6	827	449

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



STANDARD HYDRAULIC VERSION
(Connectors 0i5)



Standard convertible valves – Z1TLNR
For more information on the choice of valves, see p. 314



Code	Description	Finishes	
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	
ZRCF3G#CRO	Hole-covering washer kit for Heated towel rail	Glossy Chrome	

Product code **BA25I5G#1200500I5STCRO**

BA25I5G#120050	Article code specified in the price table
0I5	Connector code see technical datasheet
ST	Standard support code
CRO	Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL CHARGES FOR FINISHES

See the official TUBES colour chart
Additional charges calculated on category G0

RAL not in the chart	+30%*
As per sample	Subject to quote**

* Request the feasibility for these categories



BA25I5G#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts CHROMED version ΔT. 50°C	ΔT. 30°C
BA25I5G#070040	79,8	40,0	5,0	239	127
BA25I5G#070050	79,8	50,0	5,0	299	158
BA25I5G#070060	79,8	60,0	5,0	359	189
BA25I5G#120040	124,3	40,0	5,0	355	180
BA25I5G#120050	124,3	50,0	5,0	444	227
BA25I5G#120060	124,3	60,0	5,0	533	274
BA25I5G#150040	152,2	40,0	5,0	440	237
BA25I5G#150050	152,2	50,0	5,0	550	299
BA25I5G#150060	152,2	60,0	5,0	660	362
BA25I5G#190040	192,0	40,0	5,0	551	298
BA25I5G#190050	192,0	50,0	5,0	689	373
BA25I5G#190060	192,0	60,0	5,0	827	449

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.

BATH 25 MIXED STANDARD -B2R- GALVANIC - BA25MSG (HYDRAULIC/ELECTRIC)

Mixed (hydraulic/electric) heated towel rail radiator made of carbon steel

EN 442 *EURONORM MX

MIXED VERSION B2R WITH STANDARD EDGE CAP* and Remote GVR connection

(Available only for Extra_CEE market and/or connected to a domotic system with features compliant with the ECODesign standard)



Connection to the electricity mains with Standard Edge Cap

Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)



STANDARD MIXED VERSION - B2R - WITH ECODesign THERMOSTAT

Connection via GVR Remote Valve Assembly



Connection to the electricity mains

ECODesign Room Thermostat





MIXED VERSION B2R WITH WIRELESS ECODesign CONTROLS

Connection via GVR Remote Valve Assembly



Wireless connection with Standard Edge Cap



Digital Chronothermostat (code ZRF007)

Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)



ECODesign digital wireless chronothermostat + Receiver

STANDARD B2R MIXED VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Version for connection with rear connectors to GVR	Colour code of the edge cap Chrome	Code DESIGN* Edge Cap	H (cm)	L (cm)	Interaxis (cm)	CHROMED version Watt DT50°C	CHROMED version Watt DT30°C	Electrical Resistance (Watts)
BA25MSXG#070040	Z1	T6	75,8	40,0	36,6	239	127	300 W
BA25MSXG#070050	Z1	T6	75,8	50,0	46,6	299	158	300 W
BA25MSXG#070060	Z2	T8	75,8	60,0	56,6	359	189	600 W
BA25MSXG#120040	Z2	T8	120,3	40,0	36,6	355	180	600 W
BA25MSXG#120050	Z2	T8	120,3	50,0	46,6	444	227	600 W
BA25MSXG#120060	Z3	T9	120,3	60,0	56,6	533	274	900 W
BA25MSXG#150040	Z2	T8	148,2	40,0	36,6	440	237	600 W
BA25MSXG#150050	Z3	T9	148,2	50,0	46,6	550	299	900 W
BA25MSXG#150060	Z3	T9	148,2	60,0	56,6	660	362	900 W
BA25MSXG#190040	Z3	T9	188,0	40,0	36,6	551	298	900 W
BA25MSXG#190050	Z3	T9	188,0	50,0	46,6	689	373	900 W
BA25MSXG#190060	Z4	T0	188,0	60,0	56,6	827	449	1200 W

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of

STANDARD B2R MIXED VERSION WITH ECODesign THERMOSTAT

Version for connection with rear connectors to GVR	Thermostat code ROOM* White	ROOM* Chrome	ROOM* Matt Black	RADIATOR** White	RADIATOR** Chrome	H (cm)	L (cm)	Interaxis (cm)	CHROMED version Watt DT50°C	CHROMED version Watt DT30°C	Electrical Resistance (Watts)
BA25MSTG#070040	F5	F7	JO	N1	N5	75,8	40,0	36,6	239	127	300 W
BA25MSTG#070050	F5	F7	JO	N1	N5	75,8	50,0	46,6	299	158	300 W
BA25MSTG#070060	F5	F7	JQ	N1	N5	75,8	60,0	56,6	359	189	600 W
BA25MSTG#120040	G5	G7	JQ	N2	N6	120,3	40,0	36,6	355	180	600 W
BA25MSTG#120050	G5	G7	JQ	N2	N6	120,3	50,0	46,6	444	227	600 W
BA25MSTG#120060	G5	G7	JR	N2	N6	120,3	60,0	56,6	533	274	900 W
BA25MSTG#150040	G5	G7	JQ	N2	N6	148,2	40,0	36,6	440	237	600 W
BA25MSTG#150050	H5	H7	JR	N3	N7	148,2	50,0	46,6	550	299	900 W
BA25MSTG#150060	H5	H7	JR	N3	N7	148,2	60,0	56,6	660	362	900 W
BA25MSTG#190040	H5	H7	JR	N3	N7	188,0	40,0	36,6	551	298	900 W
BA25MSTG#190050	I5	I7	JR	N4	N8	188,0	50,0	46,6	689	373	900 W
BA25MSTG#190060	I5	I7	JS	N4	N8	188,0	60,0	56,6	827	449	1200 W

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of .
** The RADIATOR thermostat is not ECOdesign

STANDARD B2R MIXED VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Version for connection with rear connectors to GVR	Colour code of the edge cap Chrome	Code DESIGN* Edge Cap	H (cm)	L (cm)	Interaxis (cm)	CHROMED version Watt DT50°C	CHROMED version Watt DT30°C	Electrical Resistance (Watts)
BA25MSWG#070040	Z1	T6	75,8	40,0	36,6	239	127	300 W
BA25MSWG#070050	Z1	T6	75,8	50,0	46,6	299	158	300 W
BA25MSWG#070060	Z2	T8	75,8	60,0	56,6	359	189	600 W
BA25MSWG#120040	Z2	T8	120,3	40,0	36,6	355	180	600 W
BA25MSWG#120050	Z2	T8	120,3	50,0	46,6	444	227	600 W
BA25MSWG#120060	Z3	T9	120,3	60,0	56,6	533	274	900 W
BA25MSWG#150040	Z2	T8	148,2	40,0	36,6	440	237	600 W
BA25MSWG#150050	Z3	T9	148,2	50,0	46,6	550	299	900 W
BA25MSWG#150060	Z3	T9	148,2	60,0	56,6	660	362	900 W
BA25MSWG#190040	Z3	T9	188,0	40,0	36,6	551	298	900 W
BA25MSWG#190050	Z3	T9	188,0	50,0	46,6	689	373	900 W
BA25MSWG#190060	Z4	T0	188,0	60,0	56,6	827	449	1200 W

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of

Remote valve assembly – GVR

For more information on the choice of valves, see p. 314

Code	Description	Finishes	
GVR#...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed Plated	
GVRTG#...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*		

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 324)

IN THE PACK

The heated towel rails are supplied the their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.

BATH 25 MIXED TRADITIONAL GALVANIC - BA25MG (HYDRAULIC/ELECTRIC)

Mixed (hydraulic/electric) heated towel rail radiator made of carbon steel

EN 442 +EURONORM MX

TRADITIONAL MIXED VERSION WITH EDGE CAP

(Available only for Extra_CEE market and/or connected to a domotic system with features compliant with the ECODesign standard)



Connection to the electricity mains with Standard Edge Cap

Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)



Connection with traditional Valves



TRADITIONAL MIXED VERSION WITH ECODesign THERMOSTAT

Connection with traditional Valves





Connection with traditional Valves

ECODesign Room Thermostat





TRADITIONAL MIXED VERSION WITH WIRELESS ECODesign CONTROLS

Connection with traditional Valves



Wireless connection with Standard Edge Cap



Digital Chronothermostat (code ZRF007)

Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)





ECODesign digital wireless chronothermostat + Receiver

TRADITIONAL MIXED VERSION WITH EDGE CAP (connectable version via kit and traditional valves)

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Version for connection with traditional connectors	Colour code of the edge cap Chrome	Code DESIGN* Edge Cap	H (cm)	L (cm)	Interaxis (cm)	CHROMED version Watt DT50°C	CHROMED version Watt DT30°C	Electrical Resistance (Watts)
BA25MXG#070040	KZ1	KT6	75,8	40,0	29,4	239	127	300 W
BA25MXG#070050	KZ1	KT6	75,8	50,0	39,4	299	158	300 W
BA25MXG#070060	KZ2	KT8	75,8	60,0	49,4	359	189	600 W
BA25MXG#120040	KZ2	KT8	120,3	40,0	29,4	355	180	600 W
BA25MXG#120050	KZ2	KT8	120,3	50,0	39,4	444	227	600 W
BA25MXG#120060	KZ3	KT9	120,3	60,0	49,4	533	274	900 W
BA25MXG#150040	KZ2	KT8	148,2	40,0	29,4	440	237	600 W
BA25MXG#150050	KZ3	KT9	148,2	50,0	39,4	550	299	900 W
BA25MXG#150060	KZ3	KT9	148,2	60,0	49,4	660	362	900 W
BA25MXG#190040	KZ3	KT9	188,0	40,0	29,4	551	298	900 W
BA25MXG#190050	KZ3	KT9	188,0	50,0	39,4	689	373	900 W
BA25MXG#190060	KZ4	KT0	188,0	60,0	49,4	827	449	1200 W

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of

TRADITIONAL MIXED VERSION WITH ECODesign THERMOSTAT (connectable version via kit and traditional valves)

Version for connection with traditional connectors	Thermostat code ROOM* Chrome	Thermostat code ROOM* Matt Black	H (cm)	L (cm)	Interaxis (cm)	CHROMED version Watt DT50°C	CHROMED version Watt DT30°C	Electrical Resistance (Watts)
BA25MTG#070040	KF7	KJO	75,8	40,0	29,4	239	127	300 W
BA25MTG#070050	KF7	KJO	75,8	50,0	39,4	299	158	300 W
BA25MTG#070060	KF7	KJQ	75,8	60,0	49,4	359	189	600 W
BA25MTG#120040	KG7	KJQ	120,3	40,0	29,4	355	180	600 W
BA25MTG#120050	KG7	KJQ	120,3	50,0	39,4	444	227	600 W
BA25MTG#120060	KG7	KJR	120,3	60,0	49,4	533	274	900 W
BA25MTG#150040	KG7	KJQ	148,2	40,0	29,4	440	237	600 W
BA25MTG#150050	KH7	KJR	148,2	50,0	39,4	550	299	900 W
BA25MTG#150060	KH7	KJR	148,2	60,0	49,4	660	362	900 W
BA25MTG#190040	KH7	KJR	188,0	40,0	29,4	551	298	900 W
BA25MTG#190050	KI7	KJR	188,0	50,0	39,4	689	373	900 W
BA25MTG#190060	KI7	KJS	188,0	60,0	49,4	827	449	1200 W

* The ROOM thermostat is available in CHROME and in the new MATT BLACK finish with a supplement of

TRADITIONAL MIXED VERSION WITH WIRELESS ECODesign CONTROLS (connectable version via kit and traditional valves)

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Version for connection with traditional connectors	Colour code of the edge cap Chrome	Code DESIGN* Edge Cap	H (cm)	L (cm)	Interaxis (cm)	CHROMED version Watt DT50°C	CHROMED version Watt DT30°C	Electrical Resistance (Watts)
BA25MWG#070040	KZ1	KT6	75,8	40,0	29,4	239	127	300 W
BA25MWG#070050	KZ1	KT6	75,8	50,0	39,4	299	158	300 W
BA25MWG#070060	KZ2	KT8	75,8	60,0	49,4	359	189	600 W
BA25MWG#120040	KZ2	KT8	120,3	40,0	29,4	355	180	600 W
BA25MWG#120050	KZ2	KT8	120,3	50,0	39,4	444	227	600 W
BA25MWG#120060	KZ3	KT9	120,3	60,0	49,4	533	274	900 W
BA25MWG#150040	KZ2	KT8	148,2	40,0	29,4	440	237	600 W
BA25MWG#150050	KZ3	KT9	148,2	50,0	39,4	550	299	900 W
BA25MWG#150060	KZ3	KT9	148,2	60,0	49,4	660	362	900 W
BA25MWG#190040	KZ3	KT9	188,0	40,0	29,4	551	298	900 W
BA25MWG#190050	KZ3	KT9	188,0	50,0	39,4	689	373	900 W
BA25MWG#190060	KZ4	KT0	188,0	60,0	49,4	827	449	1200 W

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 314

Code	Description	Finishes	
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	
ZRCF3G#CRO	Hole-covering washer kit for Heated towel rail	Glossy Chrome	

BATH 25 - BA25E ELECTRIC

Electric heated towel rail made of carbon steel

EL

ELECTRIC VERSION WITH EDGE CAP

(Only available for the non EEC market and/or connected to a home automation system with characteristics complying with ECODesign regulations)



Connection to the electricity mains with Standard Edge Cap



Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)



ELECTRIC VERSION WITH ECODesign THERMOSTAT



Connection to the electricity mains



ECODesign Room Thermostat



ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS



Wireless connection with Standard Edge Cap



Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)





ECODesign digital wireless chronothermostat + Receiver

Digital Chronothermostat (code ZRF007)

Product code **BA25EL#120050U2ST9010**

BA25EL#120050	Article code specified in the price table
U2	Heating element code
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* Special supports NOT available

ELECTRIC VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Model	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Electrical Resistance (Watts)
	White	Anthracite Grey	Chrome				
BA25EL#070040	U1	V1	Z1	T6	70,5	40,0	300 W
BA25EL#070050	U1	V1	Z1	T6	70,5	50,0	300 W
BA25EL#070060	U2	V2	Z2	T8	70,5	60,0	600 W
BA25EL#120040	U2	V2	Z2	T8	119,5	40,0	600 W
BA25EL#120050	U2	V2	Z2	T8	119,5	50,0	600 W
BA25EL#120060	U3	V3	Z3	T9	119,5	60,0	900 W
BA25EL#150040	U2	V2	Z2	T8	144,5	40,0	600 W
BA25EL#150050	U3	V3	Z3	T9	144,5	50,0	900 W
BA25EL#150060	U3	V3	Z3	T9	144,5	60,0	900 W
BA25EL#190040	U3	V3	Z3	T9	193,5	40,0	900 W
BA25EL#190050	U3	V3	Z3	T9	193,5	50,0	900 W
BA25EL#190060	U4	V4	Z4	T0	193,5	60,0	1200 W

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of

ELECTRIC VERSION WITH ECODesign ROOM THERMOSTAT

Model	Thermostat code					H (cm)	L (cm)	Electrical Resistance (Watts)
	ROOM*			RADIATOR**				
	White	Chrome	Matt Black	White	Chrome			
BA25ET#070040	F5	F7	JO	N1	N5	70,5	40,0	300 W
BA25ET#070050	F5	F7	JO	N1	N5	70,5	50,0	300 W
BA25ET#070060	G5	G7	JQ	N2	N6	70,5	60,0	600 W
BA25ET#120040	G5	G7	JQ	N2	N6	119,5	40,0	600 W
BA25ET#120050	G5	G7	JQ	N2	N6	119,5	50,0	600 W
BA25ET#120060	H5	H7	JR	N3	N7	119,5	60,0	900 W
BA25ET#150040	G5	G7	JQ	N2	N6	144,5	40,0	600 W
BA25ET#150050	H5	H7	JR	N3	N7	144,5	50,0	900 W
BA25ET#150060	H5	H7	JR	N3	N7	144,5	60,0	900 W
BA25ET#190040	H5	H7	JR	N3	N7	193,5	40,0	900 W
BA25ET#190050	H5	H7	JR	N3	N7	193,5	50,0	900 W
BA25ET#190060	I5	I7	JS	N4	N8	193,5	60,0	1200 W

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of .
** The RADIATOR thermostat is not ECOdesign

ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Model	Colour code of the edge cap			Code DESIGN* Edge Cap	Adjustment code WIRELESS THERMOSTAT	H (cm)	L (cm)	Electrical Resistance (Watts)
	White	Anthracite Grey	Chrome					
BA25EW#070040	U1	V1	Z1	T6	ZRF007	70,5	40,0	300 W
BA25EW#070050	U1	V1	Z1	T6	ZRF007	70,5	50,0	300 W
BA25EW#070060	U2	V2	Z2	T8	ZRF007	70,5	60,0	600 W
BA25EW#120040	U2	V2	Z2	T8	ZRF007	119,5	40,0	600 W
BA25EW#120050	U2	V2	Z2	T8	ZRF007	119,5	50,0	600 W
BA25EW#120060	U3	V3	Z3	T9	ZRF007	119,5	60,0	900 W
BA25EW#150040	U2	V2	Z2	T8	ZRF007	144,5	40,0	600 W
BA25EW#150050	U3	V3	Z3	T9	ZRF007	144,5	50,0	900 W
BA25EW#150060	U3	V3	Z3	T9	ZRF007	144,5	60,0	900 W
BA25EW#190040	U3	V3	Z3	T9	ZRF007	193,5	40,0	900 W
BA25EW#190050	U3	V3	Z3	T9	ZRF007	193,5	50,0	900 W
BA25EW#190060	U4	V4	Z4	T0	ZRF007	193,5	60,0	1200 W

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of

ADDITIONAL COLOUR CHARGES (see the official TUBES colour chart)

RAL COLOURS not included in the chart and as per sample request feasibility and quote

BATH 25 GALVANIC - BA25EG ELECTRIC

Electric heated towel rail made of carbon steel

EL

ELECTRIC VERSION WITH EDGE CAP

(Only available for the non EEC market and/or connected to a home automation system with characteristics complying with ECODesign regulations)



Connection to the electricity mains with Standard Edge Cap



Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)



ELECTRIC VERSION WITH ECODesign THERMOSTAT



Connection to the electricity mains



ECODesign Room Thermostat





ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS



Wireless connection with Standard Edge Cap





ECODesign digital wireless chronothermostat + Receiver

Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)



Digital Chronothermostat (code ZRF007)

Product code **BA25ELG#120050U2STCRO**

BA25ELG#120050	Article code specified in the price table
U2	Heating element code
ST	Standard support code*
CRO	Finish code

* Special supports NOT available

ELECTRIC VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Model	Colour code of the edge cap		Code DESIGN* Edge Cap	H (cm)	L (cm)	Electrical Resistance (Watts)
	Anthracite Grey	Chrome				
BA25ELG#070040	V1	Z1	T6	75,8	40,0	300 W
BA25ELG#070050	V1	Z1	T6	75,8	50,0	300 W
BA25ELG#070060	V2	Z2	T8	75,8	60,0	600 W
BA25ELG#120040	V2	Z2	T8	120,3	40,0	600 W
BA25ELG#120050	V2	Z2	T8	120,3	50,0	600 W
BA25ELG#120060	V3	Z3	T9	120,3	60,0	900 W
BA25ELG#150040	V2	Z2	T8	148,2	40,0	600 W
BA25ELG#150050	V3	Z3	T9	148,2	50,0	900 W
BA25ELG#150060	V3	Z3	T9	148,2	60,0	900 W
BA25ELG#190040	V3	Z3	T9	188,0	40,0	900 W
BA25ELG#190050	V3	Z3	T9	188,0	50,0	900 W
BA25ELG#190060	V4	Z4	T0	188,0	60,0	1200 W

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of

ELECTRIC VERSION WITH ECODesign ROOM THERMOSTAT

Model	Thermostat code				H (cm)	L (cm)	Electrical Resistance (Watts)
	ROOM*		RADIATOR**				
	Chrome	Matt Black	White	Chrome			
BA25ETG#070040	F7	JO	N1	N5	75,8	40,0	300 W
BA25ETG#070050	F7	JO	N1	N5	75,8	50,0	300 W
BA25ETG#070060	G7	JQ	N2	N6	75,8	60,0	600 W
BA25ETG#120040	G7	JQ	N2	N6	120,3	40,0	600 W
BA25ETG#120050	G7	JQ	N2	N6	120,3	50,0	600 W
BA25ETG#120060	G7	JR	N2	N6	120,3	60,0	900 W
BA25ETG#150040	G7	JQ	N2	N6	148,2	40,0	600 W
BA25ETG#150050	H7	JR	N3	N7	148,2	50,0	900 W
BA25ETG#150060	H7	JR	N3	N7	148,2	60,0	900 W
BA25ETG#190040	H7	JR	N3	N7	188,0	40,0	900 W
BA25ETG#190050	I7	JR	N4	N8	188,0	50,0	900 W
BA25ETG#190060	I7	JS	N4	N8	188,0	60,0	1200 W

* The ROOM thermostat is available in CHROME and in the new MATT BLACK finish with a supplement of
** The RADIATOR thermostat is not ECOdesign

ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Model	Colour code of the edge cap	Code DESIGN* Edge Cap	Adjustment code WIRELESS THERMOSTAT	H (cm)	L (cm)	Electrical Resistance (Watts)
	Chrome					
BA25EWG#070040	Z1	T6	ZRF007	75,8	40,0	300 W
BA25EWG#070050	Z1	T6	ZRF007	75,8	50,0	300 W
BA25EWG#070060	Z2	T8	ZRF007	75,8	60,0	600 W
BA25EWG#120040	Z2	T8	ZRF007	120,3	40,0	600 W
BA25EWG#120050	Z2	T8	ZRF007	120,3	50,0	600 W
BA25EWG#120060	Z3	T9	ZRF007	120,3	60,0	900 W
BA25EWG#150040	Z2	T8	ZRF007	148,2	40,0	600 W
BA25EWG#150050	Z3	T9	ZRF007	148,2	50,0	900 W
BA25EWG#150060	Z3	T9	ZRF007	148,2	60,0	900 W
BA25EWG#190040	Z3	T9	ZRF007	188,0	40,0	900 W
BA25EWG#190050	Z3	T9	ZRF007	188,0	50,0	900 W
BA25EWG#190060	Z4	T0	ZRF007	188,0	60,0	1200 W

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of