




Mirror with squared flaps

ANAR_0_0_H_

Benedini Associati, 2003

Mirror split into one large centre panel and two double-sided pivoting panels.


Modular rectangular mirror with visible hinges in polished stainless steel, with height 60 cm (23” 5/8). Divided into three elements with polished edges and safety film. Central element with standard or custom measures; two-sided adjustable lateral elements in different shapes and widths. Optional switch always positioned at the centre of the bottom edge. The mirror is fixed to the wall by means of screws and wall plugs.



Height: 60 cm 23" 5/8 inches

Depth: 2.6 cm 1" 1/32 inches

Note: Central part length: cm 80 / 240 (25" 5/8 - 94" 1/2) Side element length: cm 20 / 40 (7" 7/8 -15" 3/4)






Mirror with squared flaps

ANAR_0_0_LH_

Benedini Associati, 2003

<p>Lighted mirror split into one large centre panel and two double-sided pivoting side panels.</p>




Modular rectangular mirror with visible hinges in polished stainless steel, with height 60 (23” 5/8). Divided into three elements with polished edges and safety film.
Central element with standard or custom measures;
two-sided adjustable lateral elements in two widths: 20
(7” 7/8) or 40 cm (15” 3/4). The central element is available with LED lights placed behind the mirror, above and below the reflecting surface. Optional switch always positioned at the centre of the bottom edge. The light strips are equipped with an opal diffuser, which in addition to covering the direct visibility of light sources, diffuses and evenly distributes the light.
The mirror is fixed to the wall by means of screws and wall plugs.
This version is also available in a 110V version; simply add the letter U at the end of the code. The value of the mirrors is not compromised.

Height: 60 cm 23” 5/8 inches

Depth: 3.8 cm 1" 1/2 inches

Note: Central part length: cm 80 / 240 (25” 5/8 - 94” 1/2) Side element length: cm 20 / 40 (7” 7/8 - 15” 3/4)






Mirror with squared flaps

ANAR_0_0_LT_

Benedini Associati, 2003

Mirror split into one large centre panel and two double-sided pivoting panels.



Modular rectangular mirror with visible hinges in polished stainless steel, with height 80 cm (31 $\frac{1}{2}$). Divided into three elements with polished edges and safety film. \bullet Central element with standard or custom measures; \bullet two-sided adjustable lateral elements in two widths: 20 $\frac{7}{8}$ or 40 cm (15 $\frac{3}{4}$). The central element is available with LED lights placed behind the mirror, above and below the reflecting surface. Optional switch always positioned at the centre of the bottom edge. The light strips are equipped with an opal diffuser, which in addition to covering the direct visibility of light sources, diffuses and evenly distributes the light. \bullet The mirror is fixed to the wall by means of screws and wall plugs. \bullet This version is also available in a 110V version; simply add the letter U at the end of the code. The value of the mirrors is not compromised.

Height:	80 cm	31" 1/2 inches
Depth:	3.8 cm	1" 1/2 inches

Note: Central part length: cm 80 / 240 (25 $\frac{5}{8}$ - 94 $\frac{1}{2}$) Side element length: cm 20 / 40 (7 $\frac{3}{4}$ - 15 $\frac{3}{4}$)

TECHNICAL SPECIFICATION SHEET
Mirrors without light Narciso H 80 cm (31"
1/2)
ANAR_0_0_T_




Mirror with squared flaps

ANAR_0_0_T_

Benedini Associati, 2003

Mirror split into one large centre panel and two double-sided pivoting panels.

Modular rectangular mirror with visible hinges in polished stainless steel, with height 80 cm (31" 1/2). Divided into three elements with polished edges and safety film. Central element with standard or custom measures; two-sided adjustable lateral elements in different shapes and widths. Optional switch always positioned at the centre of the bottom edge. The mirror is fixed to the wall by means of screws and wall plugs.



Height: 80 cm 31" 1/2 inches

Depth: 2.6 cm 1" 1/32 inches

Note: Central part length: cm 80 / 240 (25" 5/8 - 94" 1/2) Side element length: cm 20 / 40 (7" 7/8 -15" 3/4)