FLOS

F2701009 White

Gatto Piccolo
Designed by Achille and Pier Giacomo Castiglioni, 1960

Halogen - 60W

Table lamp providing diffused light. White powder coated internal steel structure sprayed with a unique "cocoon" resin to create the diffuser which is then protected by a transparent sprayed on finish. On the cable there is the electronic dimmer which allows the regulation of light brightness.

ø190 mm
300 mm
ø100 mm

Main specifications

EAN	8059607002087
Mounting	Table
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E14
Ilcos	HSGSA
Number of heads	1
Power (W)	60

Physical

Colour	White
Length (mm)	190
Cord length (mm)	1800
Net weight (kg)	0.8
Package height (mm)	480
Package width (mm)	280
Package length (mm)	280
Package volume (m3)	0.04
IP internal	20

Download

Mounting instructions	↓ PDF
Mounting instructions	↓ PDF
Mounting instructions	↓ PDF
Spare Parts	↓ PDF

Photometric Files

LDT / IES	↓ LDT

Technical Drawings

2D	↓ ZIP
3D	↓ ZIP

IECEE CB SCHEME | | EAC | CE | QCERT | 03 | | IP 20 | F

IK 00

Schematic light drawing

135° ... 135°
90° ... 90°
63 cd ... 45°

Luminous flux luminaire
820 lm

Photometric

Light distribution	Symmetric
Extreme cut off	No

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Dimmer Integrated
Plug type	Type C
Batteries inside	No

Bulbs

NOT INCLUDED

RF32290

LED Lamp E14 8W 2700K T28

NOT INCLUDED

RF32291

LED Lamp E14 8W 3000K T28

NOT INCLUDED

RF32767

LED Lamp 9W E14 220-240V

NOT INCLUDED

RF32768

LED Lamp 9W E14 220-240V

FLOS

F2601009 White

Gatto
Designed by Achille and Pier Giacomo Castiglioni, 1960

Halogen - 60W

Table lamp providing diffused light. White powder coated internal steel structure sprayed with a unique "cocoon" resin to create the diffuser which is then protected by a transparent sprayed on finish. On the cable there is the electronic dimmer which allows the regulation of light brightness.

ø350 mm

560 mm

ø140 mm

Main specifications

EAN	8059607002056
Mounting	Table
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGSA
Number of heads	1
Power (W)	60

Physical

Colour	White
Length (mm)	385
Cord length (mm)	1800
Net weight (kg)	1.7
Package height (mm)	800
Package width (mm)	440
Package length (mm)	440
Package volume (m3)	0.15
IP internal	20

Download

Mounting instructions	⬇ PDF
Mounting instructions	⬇ PDF
Mounting instructions	⬇ PDF
Spare Parts	⬇ PDF

Photometric Files

LDT / IES	⬇ LDT

Technical Drawings

2D	⬇ ZIP
3D	⬇ ZIP

IECEE CB SCHEME | EAC | CE | QCERT | 03 | IP 20 | F

IK 00

Schematic light drawing

135° 135°

90° 90°

80 cd 45°

Luminous flux luminaire
710 lm

Photometric

Light distribution	Symmetric
Extreme cut off	No

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Dimmer Integrated
Plug type	Type C
Batteries inside	No

Bulbs

NOT INCLUDED

RF32563

LED Lamp 11.5W E27 220-240V
2700K A70

NOT INCLUDED

RF32564

LED Lamp 11.5W E27 220-240V
3000K A70