

AN·TRAX IT

LANA
DESIGN AMDL CIRCLE, STUDIO
DI MICHELE DE LUCCHI

GRIFFE
COLLECTION


Lana V

AMDL CIRCLE STUDIO DI
MICHELE DE LUCCHI

Kcal = Watt x 0.860
BTU = Watt x 3.413



Watt Δt 60° = Watt Δt 50° x 1,277
Watt Δt 40° = Watt Δt 50° x 0.741
Watt Δt 30° = Watt Δt 50° x 0.504
Watt Δt 20° = Watt Δt 50° x 0.292

p max = 5.0 bar










[F]

Standard connection / Raccord standard
Standard Anschluss / Conexión estándar





[5] Special

connection / Raccord spéciale
Speziell Anschluss / Conexión especial




[H] + • 27

Special connection / Raccord spéciale
Speziell Anschluss / Conexión especial



Built-in valves
Vanne à encastrer
Einbauventile
Válvulas de empotrar
[CROM] E12VIR





Lana V _ 33

H cm	L cm	l* cm	art*	Lt*	watt Δt 30°	watt Δt 50°	• [BASIC]*
99.0	33.0	5.0	LANV5099033B	0.4			
132.0	33.0	5.0	LANV5132033B	0.5			
165.0	33.0	5.0	LANV5165033B	0.6			
198.0	33.0	5.0	LANV5198033B	0.8			

Lana V _ 66

H cm	L cm	l* cm	art*	Lt*	watt Δt 30°	watt Δt 50°	• [BASIC]*
99.0	66.0	33.1	LANVD099066B	0.9			
132.0	66.0	33.1	LANVD132066B	1.1			
165.0	66.0	33.1	LANVD165066B	1.4			
198.0	66.0	33.1	LANVD198066B	1.7			

[BASIC]



*The only colours available for this product are/ Les seules couleurs disponibles pour ce produit sont
Die einzigen Farben dieses Modells sind / Los únicos colores disponibles para este radiador son: [BASIC]

Optional




Angled Valve
Vanne équerre
Eckausführung Ventil
Válvula a escuadra

[CROM] **E12SQR**




Thermostatic head
Tête thermostatique
Thermostatkopf
Cabezal termostático

[CROM] **TTR**



Ø ≤ 16 MM
[CROM] **CTR**

16 MM < Ø < 24 MM
[CROM] **CWR**



Sleeving kit
Kit couvre tuyau
Rosetten
Kit cubre tubo

[CROM] **C5R**



Towel bar
Porte-serviettes
Handtuchhalter
Porta toallas

[COLOR] **MLNC**



Lana O

AMDL CIRCLE STUDIO DI
MICHELE DE LUCCHI

Kcal = Watt x 0.860
BTU = Watt x 3.413


Watt Δt 60° = Watt Δt 50° x 1,277
Watt Δt 40° = Watt Δt 50° x 0.741
Watt Δt 30° = Watt Δt 50° x 0.504
Watt Δt 20° = Watt Δt 50° x 0.292

p max = 5.0 bar





[F]

Standard connection/accord standard
Standard Anschluss/Conexión estándar





[5] + • 80

Special connection/Raccord spéciale
Speziell Anschluss/Conexión especial








[H] + • 27

Special connection/Raccord spéciale
Speziell Anschluss/Conexión especial



Built-in valves
Vanne à encastrer
Einbauventile
Válvulas de empotrar
[CROM] E12VIR • 213





Lana O _ 33


H cm	L cm	l* cm	art*	Lt*	watt Δt 30°	watt Δt 50°	• [BASIC]*
33.0	99.0	5.0	LANOS099033B	0.4	188	373	975
33.0	132.0	5.0	LANOS132033B	0.5	272	540	1 198
33.0	165.0	5.0	LANOS165033B	0.6	356	707	1 421
33.0	198.0	5.0	LANOS198033B	0.8	411	815	1 650

Lana O _ 66

H cm	L cm	l* cm	art*	Lt*	watt Δt 30°	watt Δt 50°	• [BASIC]*
66.0	99.0	33.1	LANOD099066B	0.9	338	671	1 558
66.0	132.0	33.1	LANOD132066B	1.1	451	895	1 957
66.0	165.0	33.1	LANOD165066B	1.4	564	1 118	2 365
66.0	198.0	33.1	LANOD198066B	1.7	676	1 342	2 782

*The only colours available for this product are/ Les seules couleurs disponibles pour ce produit sont
Die einzigen Farben dieses Modells sind / Los únicos colores disponibles para este radiador son: [BASIC]

[BASIC]



Optional




Angled Valve
Vanne équerre
Eckausführung Ventil
Válvula a escuadra

[CROM] **E12SQR • 120**




Thermostatic head
Tête thermostatique
Thermostatkopf
Cabezal termostático

[CROM] **TTR • 69**



$\varnothing \leq 16$ MM
[CROM] **CTR • 40**


 16 MM $< \varnothing < 24$ MM
[CROM] **CWR • 73**




Sleeving kit
Kit couvre tuyau
Rosetten
Kit cubre tubo
(l* = 5 cm)
[CROM] **C5R • 73**

Lana V


AMD L CIRCLE STUDIO DI
MICHELE DE LUCCHI



Optional



STANDARD




long fix
KFLNEM + • 59

Electric with cable / Version électrique avec cable / Elektrische Ausführung mit Kabel / Versión eléctrica con cable

Lana V EL

H cm	L cm	art*	watt	• [BASIC]*
99.0	33.0	EC LANVS099033B	300	905
132.0	33.0	EC LANVS132033B	400	1 125
165.0	33.0	EC LANVS165033B	500	1 348

[BASIC]



*The only colours available for this product are/ Les seules couleurs disponibles pour ce produit sont
Die einzigen Farben dieses Modells sind / Los únicos colores disponibles para este radiador son: [BASIC]

Optional



Receiver
Récepteur
Empfänger
Receptor

R10 • 116



Digital chronothermostat
Chronothermostat digital
Der digital Chronothermostat
Cronotermostato digital

T11 • 150



Towel bar
Porte-serviettes
Handtuchhalter
Porta toallas

[COLOR] **MLEC • 335**



Cable
Cable
Kable
Cable


[BLACK] **CB STANDARD**
[ORANGE] **CO +• 25**

Lana O


AMDL CIRCLE STUDIO DI
MICHELE DE LUCCHI




STANDARD



Optional



long fix
KFLNEM + • 59



Electric with cable / Version électrique avec cable / Elektrische Ausführung mit Kabel / Versión eléctrica con cable

Lana O EL

H cm	L cm	art*	watt	• [BASIC]*
33.0	99.0	EC LANOS099033B	300	975
33.0	132.0	EC LANOS132033B	400	1 198
33.0	165.0	EC LANOS165033B	500	1 421

*The only colours available for this product are/ Les seules couleurs disponibles pour ce produit sont
Die einzigen Farben dieses Modells sind / Los únicos colores disponibles para este radiador son: [BASIC]

[BASIC]



Optional



Receiver
Récepteur
Empfänger
Receptor

R10 • 116



Digital chronothermostat
Chronothermostat digital
Digitaler Chronothermostat
Cronotermostato digital

T11 • 150



Cable
Cable
Kable
Cable

[BLACK] **CB** STANDARD
[ORANGE] **CO** +• 25